


Gemlogis 

QUICK START GUIDE

MANTIS
OLED Multi Tester




Model No.: GEM-0010-01

V-01A


IN THE BOX:

1x MANTIS



- A - Cap
- B - Detection Tip
- C - Display Area
- D - On/off button


1x Universal Charger



Note:
Charge device for at least 1 hour before using it for the first time.


HOW TO OPERATE(MANTIS ONLY):

①




Press the On/Off button.Allow approximately
15 seconds for device to warm up till Ready appears.

②




Clean gemstone with a dry clean tissue or
jewelry cloth

3



Perform test on mounted stone, hold the jewelry with one hand and the tester with other hand.


4



To test loose gemstone , place the gemstone on the metal stone rest and hold it with one hand while holding the tester with the other hand.

HOW TO SELECT DIFFERENT MODES:


- Press and hold the button for approximately 2 seconds to enter the mode selection page.
- Short press the button to toggle the arrow pointer for the 3 modes: Left Hand, Right Hand & IR.
- When the arrow is pointing at the desired mode, press and hold the button for > 1 second to select the mode.
- When the IR function is activated, a * is shown on the LCD.



Press and hold On/Off button for 5 seconds
on the MANTIS until the IR LED light up


HOW TO OPERATE(MANTIS & BLEU):

6



Perform test on mounted stone . Make sure there is a clear path between IR transmitter and receiver

7



Select the color on the BLEU if necessary

PRODUCT FEATURES:

- Ergonomically designed for the test tip to be in contact with the jewelry at the right angle thus providing comfort of handling .
- No waiting time for subsequent testing.
- Alerts users when the probe tip accidentally comes in contact with metal.
- Battery Condition indicator.
- Automatic power down to optimize battery life span. The tester goes into sleep mode after 10 minutes of inactivity.

Product Dimension (mm):	190L x 45W x 32H
Weight (g):	76±5g
Battery Info:	YT751448(Lithium -Polymer Battery 450 mAh)
Operating Time (Hrs):	3hrs non-stop. 1440hrs standby

DISCLAIMERS & LIMITATION OF LIABILITY:

Due to continuous product enhancement, Jubilee Diamond Instrument reserves the right to revise all documents including the right to make changes to the handbook without prior notice and without obligation to notify any person of such revisions or changes. Users are advised to check Gemlogis' website for latest updates.

<http://www.gemlogis.com>

To the maximum extent permitted by applicable law, under no circumstances shall Jubilee Diamond Instrument, its manufacturer or any of its subsidiaries, licensors, distributors, reseller, servant and/or agent be liable for any special, incidental, consequential or indirect damages howsoever caused.

The product referred to in this manual is provided and/or sold on 'as is' basis. Except as required by application law, no warranties of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose

For further support: support@jubileediamond.com.hk

A product of Jubilee Diamond Instrument Ltd. Designed in Singapore. Produced in China.

TERMS & WARRANTY:

- Gemlogis Mantis Tester is covered by a 12-month Factory Warranty.
- Defects in material and workmanship are covered under this warranty with the exception of the probe tip.
- Warranty will be void by unauthorized repair, misuse, modification, alteration, tempering, accident damage, negligence or improper use.
- Warranty period takes effect from the date of original purchase.
- Original invoices must be shown in order to exercise the terms of factory warranty.
- In the event that this model is no longer available or has been discontinued but warranty coverage is applicable, at the sole discretion of the manufacturer, an equivalent device may be substituted in place of the defective model.
- The purchaser shall incur the cost for postage insurance and handling for all warranty covered and non-warranty covered repairs.
- Under no circumstances shall the manufacturer, Jubilee Diamond Instrument Ltd, or any of its subsidiaries, distributors or third parties be liable for any direct or indirect damages, resulting from the use of this instrument.



www.gemlogis.com

Email: support@jubileediamond.com.hk